9/5/2019



910 S 199th Ln Buckeye, AZ 85326 386-299-6929 LightningMotorsportsAZ.com lightningmotorsportsaz@gmail.com

Customer: Bobby

Machine: 2002 Yam XV250

Quantity	Description	Unit Price	Amount
1	All Balls Racing Fork Oil and Dust Seals (56-183)		
1	Maxima Fork Oil		
1	Shop Supplies - Towels, Contact Cleaner		
	Replace oil and dust seals		
	Replace oil (spec attached)		
	Clean all components		
		Sub Total	
		Tax	
	Labor/hr		
		Total Due	

Details:

- 1. Disassemble and drain front forks.
- 2. Clean all components. Fit new oil and dust seals.
- 3. Reassemble, fill with oil, clean, torque, and test.

Notes:

- 1. Blue Loctite on bottom allen
- 2. 245cc/ml of Maxima Fork Oil

Thank you for your business!

9/5/2019

- 3. Each fork has an L or R in part # printed on fork I wiped your left/right pencil mark off on the outer tubes. The right fork also has the pinch bolt at the bottom.
- 4. The right fork looked like it had been serviced more recently than the left fork. The oil appeared to be fresher and the oil seal appeared to be fresher. The left fork oil seal was gunked up and stuck pretty good. I had to get the heat gun and WD-40 out to remove the seal.



Thank you for your business!

9/5/2019



Thank you for your business!

FRONT FORK


- 1 Cap bolt
- 2 O-ring
- ③ Spacer
- ④ Spring retainer
- 5 Fork spring
- ⑥ Damper rod
 ⑦ Rebound spring
 - ring 🔞
- Circlip
 Oil seal

1 Dust seal

- (3) Slide metal
- Outer fork tube

(8) Inner fork tube

(9) Oil lock piece



Thank you for your business!